

# Assembly Instruction Sheet #IS-5025P22C-5 For Style 5025P22C-5

**Tools Required:** Flathead screwdriver, Phillips screwdriver, pliers, wire cutters, wire strippers, electrical tape, safety glasses.  
**Light Source:** (8) E12 Candelabra Base Bulbs 60W Maximum(Not Include)+120V 1W LED DIMMABLE  
**Preparation:** Identify and inspect all parts before beginning installation. Check package content list and diagrams below to be sure all parts are present. If any parts are missing or damaged, do not attempt to assemble, install, or operate the fixture. Contact customer service for replacement parts.



**Warnings and Cautions**  
 Turn off electricity at circuit breaker or main fuse box before installation. Consult a licensed electrician if in doubt. These instructions are provided for your safety. It is very important you read them completely before installing the fixture. We strongly recommend that a licensed, professional electrician perform the installation. Disconnect fixture from power source before replacing bulbs. Make sure bulbs are given sufficient time to cool before removal.

Package Contents		
Middle column X 1PCS	bobèches x5	
Arm X 5PCS	Bend the pipe X 5PCS	
Ceiling Canopy X 1PCS	14mmX2PCS 50mmX1PCS Crystal X 24PCS	
Part x1	14mmX2PCS 63mmX1PCS Crystal X 6PCS	
Crossbar x1	14mmX1PCS 63mmX1PCS Crystal X 5PCS	
Socket sleeve x5		

Hardware Contents		
PART	DESCRIPTION	QUANTITY
BB	Wire nut	2pcs
EE	Screw	2pcs

## STEP 1 -Install Arm.




Figure 1

## STEP 2-Wire Connections.




Figure 2

## 4.loosen Metal cover.




Figure 4

## 3.Install Metal cover.




Figure 3

## 5.loosen Metal cover.

The wire is to be mounted on this side




Figure 5

**STEP 6-Wire Connections.**




Figure 6

**STEP 7-Wire Connections.**




Figure 7

**STEP 8 - Wire Connections**




Figure 8

**STEP 9 - Wire Connections**




Figure 9

**STEP 10-Wire Connections.**




Figure 10

**STEP 11-Wire Connections.**




Figure 11

**STEP13 - loosen Crossbar.**




Figure 13

**STEP15 - Install Ceiling Canopy to Ceiling.**




Figure 15

**STEP 14 - Attach Crossbar to Outlet Box.**

A. Pass the supply wires through the Crossbar (EE).  
Attach the Crossbar (EE) to the Outlet Box (CC)  
with the head of the Green Ground Screw facing you.  
Secure it with Outlet Box Screws (not included).  
Tighten until snug.




Figure 14

**STEP16 - Install Bulbs ,Crystal ,bobeches and Socket sleeve**




Figure 16